

## Selected literature on the sustainability and quality of organic food (mai 2015)

- 1 Hoffmann, I., & Spiller, A., 2010. Auswertung der Daten der Nationalen Verzehrsstudie II (NVS II): Eine integrierte verhaltens-und lebensstilbasierte Analyse des Bio-Konsums. <http://orgprints.org/18055> (01.02.2015).
- 2 Kesse-Guyot, E., Peneau, S., Mejean, C., de Edelenyi, F. S., Galan, P., Hercberg, S., & Lairon, D., 2013. Profiles of organic food consumers in a large sample of French adults: Results from the nutrinet-sante cohort study. *PloS one*, 8(10), e76998.
- 3 IFOAM. Prinzipien des Öko-Landbaus: Präambel. [http://www.ifoam.org/sites/default/files/poa\\_folder\\_german.pdf](http://www.ifoam.org/sites/default/files/poa_folder_german.pdf) (01.02.2015)
- 4 Hunter, D., Foster, M., McArthur, J.O., Ojha, R., Petocz, P., & Samman, S., 2011. Evaluation of the micronutrient composition of plant foods produced by organic and conventional agricultural methods. *Critical Reviews in Food Science and Nutrition*, 51(6), 571-82.
- 5 Brandt, K., Leifert, C., Sanderson, R., & Seal, C.J. (2011). Agroecosystem management and nutritional quality of plant foods: the case of organic fruits and vegetables. *Critical Reviews in Plant Science*, (30), 177-197.
- 6 Palupi, E., Jayanegara, A., Ploeger, A., & Kahl, J. (2012). Comparison of nutritional quality between conventional and organic dairy products: a meta-analysis. *Journal of the Science of Food and Agriculture*, (92), 2774-2781.
- 7 Smith-Spangler, C., Braneau M.L., Hunter, G.E., Bavinger, J.C., Pearson, M., Eschbach, P.J., Sundaram, V., Liu, H., Schirmer, P., Stave, C., Olkin, I., & Bravata, D.M. (2012). Are organic foods safer or healthier than conventional alternatives? *Annals of Internal Medicine*, 157(5), 348-366.
- 8 Baranski, M., Srednicka-Tober, D., Volakakis, N., Seal, C., Sanderson, R., Stewart, G.B., Benbrook, C., Biavati, B., Markellou, E., Giotis, C., Gromadzka-Ostrowska, J., Rembiałkowska, E., Skwarlo-Son, K., Tahvonen, R., Janovska, D., Niggli, U., Nicot, P., & Leifert, C. (2014). Higher antioxidant and lower cadmium concentrations and lower incidence of pesticide residues in organically grown crops: a systematic literature review and meta-analyses. *The British Journal of Nutrition*, 112(05), 794-811.
- 9 Del Rio, D., Rodriguez-Mateos, A., Spencer, J. P., Tognolini, M., Borges, G., & Crozier, A. (2013). Dietary (poly) phenolics in human health: structures, bioavailability, and evidence of protective effects against chronic diseases. *Antioxidants & redox signaling*, 18(14), 1818-1892.
- 10 Ökomonitoring, 2013. Ministerium für Ländlichen Raum und Verbraucherschutz (MLR) Abteilung Verbraucherschutz und Ernährung, Kernerplatz 10, 70182 Stuttgart.
- 11 10 Jahre Ökomonitoring 2002 – 2011 Jubiläumssonderausgabe. Ministerium für Ländlichen Raum und Verbraucherschutz (MLR) Abteilung Verbraucherschutz und Ernährung, Kernerplatz 10, 70182 Stuttgart.
- 12 European Food Safety Authority (EFSA), 2014. The 2012 European Union Report on pesticide residues in food. *EFSA Journal* 2014; 12(12):3942, 156 pp.
- 13 Carcea, M., Salvatorelli, S., Turfani, V., & Mellara, F., 2006. Influence of growing conditions on the technological performance of bread wheat (*Triticum aestivum* L.). *International Journal of Food Science & Technology*, 41(s2), 102-107.
- 14 ISAAA Global Status of Commercialized Biotech. <http://www.isaaa.org/resources/publications/briefs/46/executivesummary> (01.02.2015).
- 15 Tappeser, B., Reichenbecher, W., & Teichmann, H., (2014). Agronomic and environmental aspects of the cultivation of genetically modified herbicide-resistant plants. <http://www.bfn.de/fileadmin/MDB/documents/service/skript362.pdf> (01.02.2015).

- 16 Then, C., 2010. New pest in crop caused by large scale cultivation of Bt corn. In: Breckling, B., & Verhoeven, R., (2010). Implications of GM-Crop Cultivation at Large Spatial Scales. Theorie in der Ökologie, Peter Lang, Frankfurt.
- 17 Gilbert, N., 2014. Cross-bred crops get fit faster. *Nature*, 513(7518), 292-292.
- 18 Then, C., & Stolze, M., 2010. Economic impacts of labelling thresholds for the adventitious presence of genetically engineered organisms in conventional and organic seed. International Federation of Organic Agriculture. [http://www.ifoam-eu.org/sites/default/files/page/files/ifoameu\\_policy\\_gmo-free\\_seed\\_dossier\\_200912\\_summary.pdf](http://www.ifoam-eu.org/sites/default/files/page/files/ifoameu_policy_gmo-free_seed_dossier_200912_summary.pdf) (01.02.2015).
- 19 Informationsdienst Gentechnik. Tagung: Unfaire Kostenverteilung bei Gentechnik. <http://www.keine-gentechnik.de/news-gentechnik/news/de/29954.html> (01.02.2015).
- 20 Proviande, 2014. Faktenblatt: Die Ernährung mit Fleisch im gesellschaftlichen und ökologischen Kontext. [http://www.schweizerfleisch.ch/fileadmin/dokumente/downloads/Dienstleistungen/Nachhaltigkeit/OEkologie\\_und\\_Gesellschaft\\_d\\_20140310.pdf](http://www.schweizerfleisch.ch/fileadmin/dokumente/downloads/Dienstleistungen/Nachhaltigkeit/OEkologie_und_Gesellschaft_d_20140310.pdf) (01.02.2015).
- 21 Probst, J. K., Neff, A. S., Leiber, F., Kreuzer, M., & Hillmann, E. (2012). Gentle touching in early life reduces avoidance distance and slaughter stress in beef cattle. *Applied Animal Behaviour Science*, 139(1), 42-49.
- 22 Ivemeyer, S., Knierim, U., & Waiblinger, S., 2011. Effect of human-animal relationship and management on udder health in Swiss dairy herds. *Journal of dairy science*, 94(12), 5890-5902.
- 23 Läubin, J., Knierim, U., Waiblinger, S., & Ivemeyer, S., 2013. Eutergesundheit beginnt beim Wohlbefinden. *Oekologie und Landbau*, 04/2013, 36-38.
- 24 SWR odyssey vom 11.12.2011: Zweinutzungshühner. <http://www.swr.de/odyssey/zweinutzungshuhn/-/id=1046894/nid=1046894/did=8770468/ou21if/index.html> (01.02.2015).
- 25 Icken, W., 2013. Lohmann Tierzucht GmbH bietet eine Zweinutzungs-Kreuzung an: Lohmann Dual – Fleisch und Eier. Lohmann Tierzucht GmbH, Cuxhaven (D).
- 26 Leenstra, F., Maurer, V., Galea, F., Bestman, M., Amsler-Kepalaite, Z., Visscher, J., Vermeij, I., & van Krimpen, M., 2014. Laying hen performance in different production systems; why do they differ and how to close the gap? Results of discussions with groups of farmers in The Netherlands, Switzerland and France, benchmarking and model calculations. *Archiv für Geflügelkunde*, 78(3), 1-10.
- 27 Leenstra, F., 2013. Raising cockerels from free range egg production. *LowInputBreeds Technical Note*. [http://www.lowinputbreeds.org/fileadmin/documents\\_organicresearch/lowinputbreeds/tn-4-5-leenstra-raising-cockerels-2014.pdf](http://www.lowinputbreeds.org/fileadmin/documents_organicresearch/lowinputbreeds/tn-4-5-leenstra-raising-cockerels-2014.pdf) (01.02.2015).
- 28 Ehrlich, M.E., 2006. Fettsäurezusammensetzung (CLA, Omega-3-Fettsäuren) und Isotopensignatur (<sup>13</sup>C) der Milch ökologischer und konventioneller Betriebe und Molkereien.
- 29 Simopoulos, A.P., 2002. The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomedicine & Pharmacotherapy*, 56(8), 365-379.
- 30 Simopoulos, A.P., 2008. The importance of the omega-6/omega-3 fatty acid ratio in cardiovascular disease and other chronic diseases. *Experimental Biology and Medicine*, 233(6), 674-688.
- 31 Matt, D., Rembialkowska, E., Luik, A., Peetsmann, E., & Pehme, S. 2011. Quality of organic vs. conventional food and effects on health. <http://orgprints.org/19504/> (01.02.2015).

- 32 Butler, G., Nielsen, J.H., Slots, T. Seal C., Eyre M.D., Sanderson R., & Leifert C., 2008. Fatty acid and fat-soluble antioxidant concentrations in milk from high- and low-input conventional and organic systems: seasonal variation. *Journal of the Science of Food and Agriculture*, 88, 1431-1441.
- 33 Collomb, M., Bisig, W., Bütikofer, U., Sieber, R., Bregy, M., & Etter, L., 2008. Fatty acid composition of mountain milk from Switzerland: Comparison of organic and integrated farming systems. *International Dairy Journal*, 18(10), 976-982.
- 34 Butler, G., Stergiadis, S., Seal, C., Eyre, M., & Leifert, C., 2011. Fat composition of organic and conventional retail milk in northeast England. *Journal of Dairy Science*, 94(1), 24-36.
- 35 Benbrook, C. M., Butler, G., Latif, M. A., Leifert, C., & Davis, D. R., 2013. Organic production enhances milk nutritional quality by shifting fatty acid composition: a United States-wide, 18-month study. *PloS one*, 8(12), e82429.
- 36 Grotheer, P., Marshall, M., & Simonne, A., 2011. Sulfites: separating fact from fiction. University of Florida. [www.edis.ifas.ufl.edu](http://www.edis.ifas.ufl.edu) (01.02.2015).
- 37 Thomas Vogel: Kopfwieh inbegriffen. Natürlich. 7-2004. [http://www.natuerlich-online.ch/fileadmin/Natuerlich/Archiv/2004/07-04/62-63\\_Doerrfruechte.pdf](http://www.natuerlich-online.ch/fileadmin/Natuerlich/Archiv/2004/07-04/62-63_Doerrfruechte.pdf) (01.02.2015).
- 38 World Health Organization. Safety Evaluation of Certain Food Additives. WHO Food Additives Series no. 42. <http://www.inchem.org/documents/jecfa/jecmono/v38aje11.htm> (01.02.2015).
- 39 U.S. Food and Drug Administration, 1976. Select Committee on GRAS Substances (SCOGS) Opinion: Sodium sulfite. <http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/SCOGS/ucm261417.htm> (01.02.2015).
- 40 Richter, D., 2007: Die toxikologische Bewertung von Nitritpökelsalz in Fleischerzeugnissen. Abschlussarbeit Postgradualstudium Toxikologie der Universität Leipzig. [http://toxi.dl.uni-leipzig.de/servlets/MCRFileNodeServlet/PGSToxi\\_derivate\\_00000556/208\\_Richter\\_Dietmar.pdf](http://toxi.dl.uni-leipzig.de/servlets/MCRFileNodeServlet/PGSToxi_derivate_00000556/208_Richter_Dietmar.pdf) (01.02.2015).
- 41 Offer, G., & Trinick, J., 1983. On the mechanism of water holding in meat: the swelling and shrinking of myofibrils. *Meat science*, 8(4), 245-281.
- 42 Ritz, E., Hahn, K., Ketteler, M., Kuhlmann, M. K., & Mann, J., 2012. Gesundheitsrisiko durch Phosphatzusätze in Nahrungsmitteln. *Deutsches Ärzteblatt*, 109(4), 49-55.
- 43 Christliche Initiative Romero / verdi, 2013. Im Visier: Orangensaft. Blind für Arbeitsrechte? <http://www.ci-romero.de/material-details/produkt/im-visier-orangensaft-bei-edeka-rewe-lidl-aldi-co> (01.02.2015).
- 44 Stiftung Warentest, 2014. Saftiger Liebling. Test 04/2014. Berlin.
- 45 HarmoniSed Environmental Sustainability in the European food and drink chain (SENSE), 2013. Project no. 288974. Deliverable: D2.1. Life cycle assessment of orange juice. <http://www.esu-services.ch/ourservices> (01.02.2015).
- 46 Knudsen, M. T., Halberg, N., Hermansen, J., & Andreasen, L., 2010. Life Cycle Assessment (LCA) of organic food and farming systems: Focusing on greenhouse gas emissions, carbon sequestration potential and methodological challenges and status. RTOACC workshop at FAO, Rome, Italy, November 2010.
- 47 Strahm, W., & Eberhard P., 2010. Trinkmilchtechnologien: Eine Übersicht, ALP forum, Nr. 79 / 2010, 2. Auflage.
- 48 Michalski, M. C., & Januel, C., 2006. Does homogenization affect the human health properties of cow's milk?. *Trends in Food Science & Technology*, 17(8), 423-437.

- 49 Ministry for primary Industries, 2013. An Assessment of the Effects of Pasteurisation on Claimed Nutrition and health Benefits of Raw Milk. MPI Technical Paper No: 2014/13. New Zealand Government. <http://www.foodsafety.govt.nz/elibrary/industry/2014-13-Assessment-of-effects-of-Pasteurisation-on-Claimed-Nutrition-and-Health-Benefits-of-Raw-Milk.pdf> (01.02.2015).
- 50 Lorenzen, P. C., Clawin-Rädecker, I., Einhoff, K., Hammer, P., Hartmann, R., Hoffmann, W., Martin, D., Molkentin, J., Walte, H. G., & Devrese, M., 2011. A survey of the quality of extended shelf life (ESL) milk in relation to HTST and UHT milk. *International Journal of Dairy Technology*, 64(2), 166-178.
- 51 Kaufmann, V., Scherer, S., & Kulozik, U., 2010. Verfahren zur Verlängerung der Haltbarkeit von Konsummilch und ihre stofflichen Veränderungen: ESL-Milch. *Journal für Verbraucherschutz und Lebensmittelsicherheit*, 5(1), 59-64.
- 52 Jungbluth, N., Nathani, C., Stucki, M., & Leuenberger, M., 2011. Environmental impacts of Swiss consumption and production: a combination of input-output analysis with life cycle assessment. *Environmental studies* no. 1111. ESU-services Ltd. & Rütter + Partner, Bern.
- 53 Jordi, B., 2012. Ökobilanzen machen reinen Tisch. *umwelt - Das Magazin des BAFU*. Bundesamt für Umwelt BAFU, Bern, pp. 8-11.
- 54 Rööf, E., & Karlsson, H., 2013. Effect of eating seasonal on the carbon footprint of Swedish vegetable consumption. *Journal of Cleaner Production*, 59, 63-72.
- 55 Stoessel, F., Juraske, R., Pfister, S., & Hellweg, S., 2012. Life cycle inventory and carbon and water footprint of fruits and vegetables: application to a Swiss retailer. *Environmental science & technology*, 46(6), 3253-3262.
- 56 Page, G., Ridoutt, B., & Bellotti, B., 2012. Carbon and water footprint tradeoffs in fresh tomato production. *Journal of Cleaner Production*, 32, 219-226.
- 57 Blanke, M., & Burdick, B., 2005. Food (miles) for thought-energy balance for locally-grown versus imported apple fruit (3 pp). *Environmental Science and Pollution Research*, 12(3), 125-127.
- 58 Meier, M. S., Stoessel, F., Jungbluth, N., Juraske, R., Schader, C., & Stolze M., 2015. Environmental impacts of organic and conventional agricultural products - Are the differences captured by life cycle assessment? *Journal of Environmental Management*, 149, 193-208.
- 59 Gattinger, A., Muller, A., Haeni, M., Skinner, C., Fliessbach, A., Buchmann, N., Mäder, P., Stolze, M., Smith, P., Scialabba, N.E.-H., & Niggli, U., 2012. Enhanced top soil carbon stocks under organic farming. *Proceedings of the National Academy of Sciences*, 109(44), 18226-18231.
- 60 Schader, C., Grenz, J., Meier, M.S., & Stolze, M., 2014. Scope and precision of sustainability assessment approaches to food systems. *Ecology and Society*, 19(3), 42.
- 61 Mäder, R. & Wörner, F., 2009. Leitfaden Umsetzung datenbanktechnischer Rückverfolgbarkeit im Unternehmen. [http://orgprints.org/16035/4/16035-03OE457-fibl-maeder-2009-rueckverfolgbarkeit\\_leitfaden.pdf](http://orgprints.org/16035/4/16035-03OE457-fibl-maeder-2009-rueckverfolgbarkeit_leitfaden.pdf) (01.02.2015).
- 62 Generaldirektion für Gesundheit und Verbraucherschutz, Europäische Kommission, 2007: Factsheet Lebensmittelrückverfolgbarkeit. [http://ec.europa.eu/food/animal/diseases/controlmeasures/avian/docs/factsheet\\_trace\\_2007\\_de.pdf](http://ec.europa.eu/food/animal/diseases/controlmeasures/avian/docs/factsheet_trace_2007_de.pdf) (01.02.2015).
- 63 Capuano, E., Boerrigter-Eenling, R., Veer, G., & Ruth, S. M., 2013. Analytical authentication of organic products: an overview of markers. *Journal of the Science of Food and Agriculture*, 93(1), 12-28.
- 64 Aulrich, K., & Molkentin, J., 2009. Potential of Near Infrared Spectroscopy for differentiation of organically and conventionally produced milk. *Agriculture and Forestry Research*, 59, 301-308.

- 65 Van Ruth, S., Alewijn, M., Rogers, K., Newton-Smith, E., Tena, N., Bollen, M., & Koot, A., 2011. Authentication of organic and conventional eggs by carotenoid profiling. *Food Chemistry*, 126(3), 1299-1305.
- 66 Röhlig, R. M., & Engel, K. H., 2010. Influence of the input system (conventional versus organic farming) on metabolite profiles of maize (*Zea mays*) kernels. *Journal of Agricultural and Food Chemistry*, 58(5), 3022-3030.
- 67 Ehling, S., & Cole, S., 2011. Analysis of Organic Acids in Fruit Juices by Liquid Chromatography– Mass Spectrometry: An Enhanced Tool for Authenticity Testing. *Journal of Agricultural and Food Chemistry*, 59(6), 2229-2234..
- 68 Boner, M., & Förstel, H., 2004. Stable isotope variation as a tool to trace the authenticity of beef. *Analytical and Bioanalytical Chemistry*, 378(2), 301-310.
- 69 Molzentin, J., 2013. Applicability of organic milk indicators to the authentication of processed products. *Food Chemistry*, 137(1), 25-30.
- 70 Chung, I. M., Park, I., Yoon, J. Y., Yang, Y. S., & Kim, S. H. , 2014. Determination of organic milk authenticity using carbon and nitrogen natural isotopes. *Food Chemistry*, 160, 214-218.
- 71 Molzentin, J., & Gieseemann, A., 2010. Follow-up of stable isotope analysis of organic versus conventional milk. *Analytical and Bioanalytical Chemistry*, 398(3), 1493-1500.
- 72 Molzentin, J., & Gieseemann, A., 2007. Differentiation of organically and conventionally produced milk by stable isotope and fatty acid analysis. *Analytical and Bioanalytical Chemistry*, 388(1), 297-305.
- 73 Molzentin, J., 2009. Authentication of organic milk using  $\delta^{13}\text{C}$  and the  $\alpha$ -linolenic acid content of milk fat. *Journal of Agricultural and Food Chemistry*, 57(3), 785-790.
- 74 Bahar, B., Monahan, F. J., Moloney, A. P., O'Kiely, P., Scrimgeour, C. M., & Schmidt, O., 2005. Alteration of the carbon and nitrogen stable isotope composition of beef by substitution of grass silage with maize silage. *Rapid Communications in Mass Spectrometry*, 19(14), 1937-1942.
- 75 Bahar, B., Schmidt, O., Moloney, A. P., Scrimgeour, C. M., Begley, I. S., & Monahan, F. J., 2008. Seasonal variation in the C, N and S stable isotope composition of retail organic and conventional Irish beef. *Food Chemistry*, 106(3), 1299-1305.
- 76 Bateman, A. S., Kelly, S. D., & Jickells, T. D., 2005. Nitrogen isotope relationships between crops and fertilizer: implications for using nitrogen isotope analysis as an indicator of agricultural regime. *Journal of Agricultural and Food Chemistry*, 53(14), 5760-5765.
- 77 Bateman, A. S., & Kelly, S. D., 2007. Fertilizer nitrogen isotope signatures. *Isotopes in Environmental and Health Studies*, 43(3), 237-247.
- 78 Camin, F., Perini, M., Bontempo, L., Fabroni, S., Faedi, W., Magnani, S., Baruzzi, G., Bonolic, M., Tabilio, M. R., Musmeci, S., Rossmann, A., Kelly, S.D., & Rapisarda, P., 2011. Potential isotopic and chemical markers for characterising organic fruits. *Food Chemistry*, 125(3), 1072-1082.
- 79 Flores, P., Fenoll, J., & Hellín, P., 2007. The feasibility of using  $\delta^{15}\text{N}$  and  $\delta^{13}\text{C}$  values for discriminating between conventionally and organically fertilized pepper (*Capsicum annum* L.). *Journal of Agricultural and Food Chemistry*, 55(14), 5740-5745.
- 80 Rapisarda, P., Calabretta, M. L., Romano, G., & Intrigliolo, F., 2005. Nitrogen metabolism components as a tool to discriminate between organic and conventional citrus fruits. *Journal of Agricultural and Food Chemistry*, 53(7), 2664-2669.
- 81 Kahl, J., Alborzi, F., Beck, A., Bügel, S., Busscher, N., Geier, U., Matt, D., Meischner, T., Paoletti, F., Pehme, S., Ploeger, A., Rembiałkowska, E., Schmid, O., Strassner, C., Taupier-Letage, B., & Zalecka, A., 2014. Organic food processing: a framework for concept, starting definitions and evaluation. *Journal of the Science of Food and Agriculture*, 94(13), 2600-2604.

- 82 Zalecka, A., Bügel, S., Paoletti, F., Kahl, J., Bonanno, A., Dostalova, A., & Rahmann, G., 2014. The influence of organic production on food quality – research findings, gaps and future challenges. *Journal of the Science of Food and Agriculture*, 94(13), 2600-2604.
- 83 Kahl, J., 2012. Organic food quality: from field to fork. *Journal of the Science of Food and Agriculture*, 92(14), 2751-2752.
- 84 Kahl, J., Baars, T., Bügel, S., Busscher, N., Huber, M., Kusche, D., Rembialkowska, E., Schmid, O., Seidel, K., Taupier-Letage, B., Velimirov, A., & Zalecka, A., 2012. Organic food quality: a framework for concept, definition and evaluation from the European perspective. *Journal of the Science of Food and Agriculture*, 92(14), 2760-2765.
- 85 J. Kahl, M. Bodroza-Solarov, N. Busscher, J. Hajsolva, W. Kneifel, M. Kokornaczyk, S. van Ruth, V. Schulzova, P. Stolz (2014). Status quo and future research challenges on organic food quality determination with focus on laboratory methods. *Journal of the Science of Food and Agriculture*, 94(13), 2595-2599.
- 86 Kahl, J., Busscher, N., & Ploeger, A., 2010. Questions to the validation of holistic methods testing organic food quality. *Biological Agriculture & Horticulture*, 27(1), 81-94.
- 87 Kahl, J., Busscher, N., & Meier-Ploeger, A., 2005. Status quo und Validierung ausgewählter ganzheitlicher Methoden zur Charakterisierung ökologisch erzeugter Lebensmittel. In: *Praxishandbuch Bio-Lebensmittel*, 08/2005, behrs Verlag.
- 88 Kahl, J., Busscher, N., & Meier-Ploeger, A., 2003. Neue Ansätze zur Erfassung ökologischer Lebensmittelqualität. *Ökologie & Landbau*, 127(3/2003), 26-28.
- 89 Strube J., & Stolz P., 2010. The Application of Fluorescence Excitation Spectroscopy of Whole Samples for Identification of the Culture System of Wheat and Carrots—Method, Validation, Results. *Biological Agriculture & Horticulture*, 27(1), 59-80.
- 90 Zalecka, A., Kahl, J., Doesburg, P., Pyskow, B., Huber, M., Skjerbaek, K., & Ploeger, A., 2010. Standardization of the Steigbild method. *Biological Agriculture & Horticulture*, 27(1), 41-57.
- 91 Huber, M., Andersen, J.-O., Kahl, J., Busscher, N., Doesburg, P., Mergardt, G., Kretschmer, S., Zalecka, A., Meelursarn, A., Ploeger, A., Nierop, D., van de Vijver, L., & Baars, E., 2010. Validation of the visual evaluation of biocrystallizations. Development of a reliable and valid instrument for visual evaluation according to ISO-Norms for sensory analyses. *Biological Agriculture & Horticulture*, 27(1), 25-40.
- 92 Stolz P., Strube, J., 2010. Determination of the Physiological Amino Acid Status for Identification of the Culture System of Wheat and Carrots—Method and Validation, *Biological Horticulture & Agriculture*, 27(1), 107-127.
- 93 Busscher, N., Kahl, J., & Ploeger, A., 2013. From needles to pattern in food quality determination. *Journal of the Science of Food and Agriculture*, 94(13), 2578-2581.
- 94 Kahl, J., Busscher, N., Hoffmann, W., Mergardt, G., Clawin-Raedecker, I., & Ploeger, A., 2014. A novel approach for differentiation of milk fractions and polyvinylpyrrolidone with different molecular weight by patterns derived from cupric chloride crystallization with additives. *Analytical Methods*, 6(9), 3173-3176.
- 95 Busscher, N., Kahl, J., Doesburg, P., Mergardt, G., & Ploeger, A., 2010. Evaporation influences on the crystallization of an aqueous dihydrate cupric chloride solution with additives. *Journal of Colloid and Interface Sciences*, 334(2), 556-562.
- 96 Busscher, N., Kahl, J., Andersen, J.-O., Huber, M., Mergardt, G., Doesburg, P., Paulsen, M., & Ploeger, A., 2010. Standardization of the biocrystallization method for carrot samples. *Biological Agriculture & Horticulture*, 27(1), 1-23.
- 97 Szulc, M., Kahl, J., Busscher, N., Mergardt, G., Doesburg, P., & Ploeger, A., 2010. Discrimination between organically and conventionally grown winter wheat farm pair samples using the copper chloride crystallisation method in combination with computerised image analysis. *Computer and Electronics in Agriculture*, 74(2), 218-222.

- 98 Doesburg, P., & Nierop, A.F.M., 2013. Development of a structural image analysis approach on structures from CuCl<sub>2</sub>. 2H<sub>2</sub>O crystallization with agricultural products. *Computer and Electronics in Agriculture*, 90, 63–67.
- 99 Kahl, J., Busscher, N., Mergardt, G., Andersen, J.-O., Doesburg, P., Meelursarn, A., & Ploeger, A., 2014. Standardization and performance test of crystallization with additives on wheat samples. *Food Analytical Methods*, accepted for publication.
- 100 Kahl, J., Busscher, N., Hoffmann, W., Mergardt, G., Clawin-Raedeker, I., Kiesner, C., & Ploeger, A., 2013. Development and performance of crystallization with additives applied on different milk samples. *Food Analytical Methods*, 7(7), 1373-1380.
- 101 Kahl, J., Busscher, N., Mergardt, G., Mäder, P., Torp, T., & Ploeger, A., 2015. Crystallization with additives applied to winter wheat cultivars from a controlled field trial. *Journal of the Science of Food and Agriculture*, 95(1), 53-58.
- 102 Hermanowski, R., Boner, M., Bonte, A., Henryson, A. S., Hofem, S., Langenkämper, G., Mäder, R., Mende, G., Neuendorff, J., Niehaus, K., Stolz, P., & Strube, J., 2013. Weiterentwicklung und Nutzungsempfehlungen validierter Methoden zur Unterscheidung von ökologischen und konventionellen Produkten. [www.orgprints.org/22444/](http://www.orgprints.org/22444/) (01.02.2015).
- 103 Fritz, J., Athmann, M., Kautz, T., & Köpke, U., 2011. Grouping and classification of wheat from organic and conventional production systems by combining three image forming methods. *Biological Agriculture & Horticulture*, 27, 320-336.
- 104 Kahl, J., Busscher, N., Mergardt, G., Mäder, P., Dubois, D., & Ploeger, A., 2008. Authentication of organic wheat samples from a long-term trial using biocrystallization. In: *Cultivate the future based on science*. 16th IFOAM Organic World Congress, Modena, Italy. <http://orgprints.org/11731> (01.02.2015).
- 105 Seidel, K., Kahl, J., Paoletti, F., Birlouez, I., Busscher, N., Kretschmar, U., Särkkä-Tirkkonen, M., Seljasen, R., Sinesio, F., Torp, T., & Baiamonte, I., 2013. Quality assessment of baby food made of different pre-processed organic raw materials under industrial processing conditions. *Journal of Food Science and Technology*, 1-10.
- 106 Kahl, J., Busscher, N., Doesburg, P., Mergardt, G., Huber, M., & Ploeger, A., 2009. First tests of standardized biocrystallization on milk and milk products. *European Food Research & Technology*, 229, 175-178.
- 107 Kretschmar, U., & Schmid, O. 2005. Approaches Used in Organic and Low Input Food Processing–Impact on Food Quality and Safety. Results of a delphi survey from an expert consultation in 13 European Countries. *NJAS-Wageningen Journal of Life Science*, 58(3), 111-116.
- 108 Organic taste: Ecropolis - Organic Sensory Information System (OSIS). [www.ecropolis.eu](http://www.ecropolis.eu) (01.02.2015).
- 109 Gallina Toschi, T., Bendini, A., Barbieri, S., Valli, E., Cezanne, M. L., Buchecker, K., & Canavari, M., 2012. Organic and conventional nonflavored yogurts from the Italian market: study on sensory profiles and consumer acceptability. *Journal of the Science of Food and Agriculture*, 92(14), 2788-2795.
- 110 Fairtrade International, History of Fairtrade. <http://www.fairtrade.net/history-of-fairtrade.html> (01.02.2015).
- 111 Produktinformation der Max Havelaar-Stiftung (Schweiz) 2013: Bananen. [http://www.maxhavelaar.ch/fileadmin/user\\_upload/publikationen/Factsheet\\_Banane\\_13\\_de.pdf](http://www.maxhavelaar.ch/fileadmin/user_upload/publikationen/Factsheet_Banane_13_de.pdf) (01.02.2015).
- 112 Fairtrade International, Annual report 2012-13: Unlocking the Power. [http://www.fairtrade.net/fileadmin/user\\_upload/content/2009/resources/2012-13\\_AnnualReport\\_FairtradeIntl\\_web.pdf](http://www.fairtrade.net/fileadmin/user_upload/content/2009/resources/2012-13_AnnualReport_FairtradeIntl_web.pdf) (01.02.2015).

- 113 Fairtrade Deutschland (2014): Statement Fairtrade und Bio. [http://www.fairtrade-deutschland.de/fileadmin/user\\_upload/materialien/download/download\\_statement\\_fairtradeundbio.PDF](http://www.fairtrade-deutschland.de/fileadmin/user_upload/materialien/download/download_statement_fairtradeundbio.PDF) (01.02.2015).
- 114 Kaßmann, M., (2014). Grundlagen der Verpackung: Leitfaden für die fächerübergreifende Verpackungsausbildung. Beuth Verlag. Berlin.
- 115 Wagner, M., & Oehlmann, J., 2009. Endocrine disruptors in bottled mineral water: total estrogenic burden and migration from plastic bottles. *Environmental Science and Pollution Research*, 16(3), 278-286.
- 116 Pinto, B., & Reali, D., 2009. Screening of estrogen-like activity of mineral water stored in PET bottles. *International Journal of Hygiene and Environmental Health*, 212(2), 228-232.
- 117 Welle, F., & Franz, R., 2011. Migration of antimony from PET bottles into beverages: determination of the activation energy of diffusion and migration modelling compared with literature data. *Food Additives and Contaminants*, 28(1), 115-126.
- 118 Bundesamt für Gesundheit BAG, 2011. Hormonaktive Substanzen in abgepacktem Mineralwasser? In Bulletin 14/11, Bern.
- 119 PET-Recycling Schweiz. FAQ. <http://www.petrecycling.ch/de/faq> (01.02.2015).
- 120 Petcore Europe, 2004. Ökobilanz für PET-Einwegsysteme unter Berücksichtigung der Sekundärprodukte. Endbericht, August. <https://www.ifeu.de/oekobilanzen/pdf/LCA%20fuer%20PET%20Einwegsysteme%20erstellt%20fuer%20PETCORE%20%28Sept%202004%29.pdf> (01.02.2015).
- 121 Bundesinstitut für Risikobewertung (BfR), 2006. Bundesinstitut für Risikobewertung: Übergang von Weichmachern aus Twist-off-Verschlüssen in Lebensmittel. Aktualisierte Stellungnahme Nr. 025/2007 des BfR vom 19. Juni 2006. [http://www.bfr.bund.de/cm/343/uebergang\\_von\\_weichmachern\\_aus\\_twist\\_off\\_verschluessen\\_in\\_lebensmittel.pdf](http://www.bfr.bund.de/cm/343/uebergang_von_weichmachern_aus_twist_off_verschluessen_in_lebensmittel.pdf) (01.02.2015).
- 122 Bund für Umwelt und Naturschutz Deutschland (BUND), 2010. Bund für Umwelt und Naturschutz Deutschland e.V. Hormone aus der Dose: Getränkedosen enthalten Bisphenol A. <http://www.bund.net/nc/presse/pressemitteilungen/detail/zurueck/pressemitteilungen/artikel/hormone-aus-der-dose-bier-softdrink-und-energydrink-dosen-enthalten-bisphenol-a/> (01.02.2015).
- 123 Bundesministerium für Ernährung, Landwirtschaft und Verbraucherschutz (BMELV), 2012. Bundesministerium für Ernährung Landwirtschaft und Verbraucherschutz: Ausmass der Migration unerwünschter Stoffe aus Verpackungsmaterialien aus Altpapier in Lebensmittel. <http://passthrough.fw-notify.net/download/972018/http://download.ble.de/09HS012.pdf> (01.02.2015).
- 124 Bundesinstitut für Risikobewertung (BfR), 2013. Bundesinstitut für Risikobewertung: Fragen und Antworten zu Phthalat-Weichmachern. FAQ des BfR und des Umweltbundesamtes (UBA) vom 7. Mai 2013. <http://www.bfr.bund.de/cm/343/fragen-und-antworten-zu-phthalat-weichmachern.pdf> (01.02.2015).
- 125 Möller, M., 2009. Nanotechnologie im Bereich der Lebensmittel (Vol. 53). vdf Hochschulverlag AG. [http://www.vdf.ethz.ch/service/3234/3251\\_Nanotechnologie-im-Bereich-der-Lebensmittel\\_OA.pdf](http://www.vdf.ethz.ch/service/3234/3251_Nanotechnologie-im-Bereich-der-Lebensmittel_OA.pdf) (01.02.2015).
- 126 European Food Safety Authority (EFSA), 2013. Annual report of the EFSA Scientific Network of Risk Assessment of Nanotechnologies in Food and Feed for 2013. EFSA supporting publication 2013:EN-531.